

Publications relevant to legume supported production systems – Christine Watson

1. Reckling, M., Bergkvist, G., Watson, C.A., Stoddard, F., Zander, P., Walker, R.L., Pristeri, A., Toncea, I. & Bachinger, J. (2016). Trade-offs between economic and environmental impacts of introducing legumes into cropping systems. *Frontiers in Plant Science* <http://dx.doi.org/10.3389/fpls.2016.00669>
2. Smith, L.G., Tarsitano, D., Topp, C.F.E., Jones, S.K., Gerrard, C.L., Pearce, B.D., Williams, A.G. & Watson, C.A. (2016) Predicting the effect of rotation design on N, P, K balances on organic farms using the NDICEA model. *Renewable Agriculture and Food Systems* 31, 471-484.
3. Zander, P., Amjath-Babu, T.S., Preissel, S., Reckling, M., Bues, A., Schläfke, N., Kuhlman, T., Bachinger, J., Uthes, S., Murphy-Bokern, D., Stoddard, F. & Watson C.A. (2016) Can legume farming survive in Europe? A review on the drivers of its decline and the agro-economic challenges on its revival. *Agronomy for Sustainable Development* (DOI: 10.1007/s13593-016-0365-y)
4. Bengtsson, H., Watson, C.A., Jonsson, S. & Öborn, I. (2016) Quantifying annual variations in field scale element budgets is essential for sustainable nutrient management in farming systems. *Biological Agriculture & Horticulture* 32, 110-126.
5. Chongtham, I.R., Bergkvist, G., Watson, C., Sandström, E., Bengtsson, J. & Öborn, I. (2016). Factors influencing crop rotation strategies on organic farms with different time periods since conversion to organic production. *Biological Agriculture & Horticulture* (DOI: 10.1080/01448765.2016.1174884)
6. Reckling, M., Hecker, J-M., Bergkvist, G., Watson, C.A., Zander, P., Schläfke, N., Stoddard, F.L., Eory, V., Topp, C.F.E., Maired, J. & Bachinger, J. (2016). A cropping system assessment framework and its application to legumes. *European Journal of Agronomy* 76, 186–197.
7. Storkey J, Döring, T., Baddeley, J., Collins, R., Roderick, S., Jones, H. & Watson, C. (2015) Engineering a plant community to deliver multiple ecosystem services. *Ecological Applications* 25, 1034–1043.
8. Brooker, R.W., Bennett, A.E., Cong-W-F, Daniell, T.J., Georg, T.S., Hallett, P.D., Hawes, C., Iannetta, P.P.M., Jones, H.G., Karley, A.J., Li, L., McKenzie, B.M., Pakeman, R.J., Paterson, E., Schöb, C., Shen, J., Squire, G., Watson, C.A., Zhang, C., Zhang, F., Zhang, J. & White, P.J. (2015) Improving intercropping: A synthesis of research in agronomy, plant physiology and ecology. *New Phytologist* 206, 107-117.
9. Lindström, B.E.M, Frankow-Lindberg, B.E., Dahlin, A.S., Watson, C.A., & Wivstad, M. (2014). Effect of site and red clover proportion on micronutrient concentrations in forage mixtures. *Field Crops Research* 169, 99-106.
10. Ball, B.C., Griffiths, B.S., Topp, C.F.E., Wheatley, R., Walker, R.L., Rees, R.M., Watson, C.A., Gordon, H., Hallett, P.D., McKenzie, B.M. & Nevison, I.M. (2014) Seasonal nitrous oxide emissions from field soils under reduced tillage, compost application or organic farming. *Agriculture Ecosystems & Environment* 189, 171-80.
11. Lindström, B.E.M, Frankow-Lindberg, B.E., Dahlin, A.S., Watson, C.A., & Wivstad, M. (2013). Micronutrient concentrations in relation to phenological development of red clover (*Trifolium pratense* L.), perennial ryegrass (*Lolium perenne* L.) and timothy (*Phleum pratense* L.). *Grass & Forage Science* 69, 276-284.
12. Lindström, B.E.M., Frankow-Lindberg, B.E., Dahlin, A.S., Wivstad, M. & Watson, C.A. (2013). Micronutrient concentrations and off-take of common and novel forage species and varieties grown on two contrasting soils. *Grass and Forage Science* 68, 427-36.
13. Liu, Y., Wu, L. Watson, C.A., Baddeley, J.A., Pan, X. and Zhang, L. (2013). Modelling biological nitrogen fixation of field pea (*Pisum sativum* L.) with a process-based simulation model. *Agronomy Journal* 105, 670-678.
14. Rees, R., Baddeley, J., Bhogal, A., Ball, B., Chadwick, D., MacLeod, M., Lilly, A., Pappa, V., Thorman, R., Watson, C. & Williams, J. (2013). Nitrous oxide mitigation in UK agriculture. *Soil Science & Plant Nutrition* 59, 3-15.

15. Pappa, V.A., Rees, R.M., Walker, R.L., Baddeley, J.A. & Watson, C.A. (2012). Intercropping: effect on yield and N balances in a three year crop rotation. *Journal of Agricultural Science, Cambridge* **150**, 584-594.
16. Rees, R.M., Augustin, J., Alberti, G., Ball, B.C., Boeckx, P., Cantarel, A., Castaldi, S., Chirinda, N., Chojnicki, B., Giebels, M., Gordon, H., Grosz, B., Horvath, L., Juszczak, R., Klemedtsson, Å.K., Klemedtsson, L., Medinets, S., Machon, A., Mapanda, F., Nyamangara, J., Olesen, J., Reay, D., Sanchez, L., Sanz Cobena, A., Smith, K. A., Sowerby, A., Sommer, M., Soussana, J.F., Stenberg, M., Topp, C.F.E., van Cleemput, O., Vallejo, A., Watson, C.A. & Wuta, M. (2012). Nitrous oxide emissions from European agriculture; an analysis of variability and drivers of emissions from field experiments, *Biogeosciences Discuss.*, **9**, 9259-9288, (DOI:10.5194/bgd-9-9259-2012)
17. Knox, O.G.G., Leake, A.R., Walker, R.L., Edwards, A.C. & Watson, C.A. (2011). Revisiting the multiple benefits of historical crop rotations within contemporary UK agricultural systems. *Journal of Sustainable Agriculture* **35**, 163-179.
18. Pappa, V.A., Rees, R.M., Walker, R.L., Baddeley, J.A. & Watson, C.A. (2011). Nitrous oxide emissions and nitrate leaching in an arable rotation resulting from the presence of an intercrop. *Agriculture, Ecosystems and Environment* **141**, 153-161.
19. Watson, C.A., Baddeley, J.A., Edwards, A.C., Rees, R.M., Walker, R.L. & Topp, C.F.E, (2011). Influence of ley duration on the yield and quality of the subsequent cereal crop (spring oats) in an organically managed long-term crop rotation experiment. *Organic Agriculture* **1**, 147-159.
20. Liu, Y., Wu, L., Baddeley, J.A. & Watson, C.A. (2011). Estimating nitrogen fixation in grain and forage legumes – a modelling approach. *Agronomy for Sustainable Development* **31**, 155-172.
21. Hawes, C., Squire, G.R., Hallett, P.D., Watson, C.A. & Young, M. (2010) Arable plant communities as indicators of farming practice. *Agriculture, Ecosystems and Environment* **138**, 17-26.
22. Watson, C.A., Walker, R.L. & Stockdale, E.A. (2008). Research in organic production systems - past, present and future. *Journal of Agricultural Science, Cambridge* **146**, 1-19.
23. Topp, C.F.E., Stockdale, E.A., Watson, C.A. & Rees, R.M. (2007). Efficiencies of resource use in organic agriculture. *Journal of the Science of Food & Agriculture* **87**, 2782-2790.
24. Ball, B.C., Watson, C.A. & Baddeley, J. (2007). Soil quality, soil structure and rooting conditions after ploughing organically managed grass/clover swards. *Soil Use and Management* **23**, 20-27.
25. Ball, B.C., Watson, C.A. & Crichton, I. (2007). Nitrous oxide emissions, cereal growth, N recovery and soil nitrogen status after ploughing organically managed grass/clover swards. *Soil Use and Management* **23**, 145-155.
26. Cookson, W.R., Osman, M., Marschner, P., Abaye, D.A., Clark, I., Murphy, D.V., Stockdale, E.A. & Watson, C.A. (2007). Controls on soil nitrogen cycling and microbial community composition across land use and incubation temperature *Soil Biology & Biochemistry* **39**, 744-756.
27. Taylor, B.R., Younie, D., Matheson, S., Coutts, M., Mayer, C., Watson, C.A. & Walker, R.L. (2006). Output and Sustainability of Organic Ley/Arable Crop Rotations at Two Sites in Northern Scotland. *Journal of Agricultural Science, Cambridge* **144**, 435-447.
28. Atkinson, D., Black, K.E., Dawson, L.A., Dunsiger, Z., Watson, C.A. & Wilson, S.A. (2005). Prospects, advantages and limitations of future crop production systems dependant upon the management of soil processes. *Annals of Applied Biology* **146**, 203-215.
29. Ball, B.C., Bingham, I., Rees, R.M., Watson C.A. & Litterick, A. (2005). The role of crop rotations in determining soil structure and rooting conditions. *Canadian Journal of Soil Science* **85**, 557-577.
30. Fortune, S., Robinson, J.S., Watson, C.A., Philipps, C.A., Conway, J. & Stockdale, E.A. (2005). Response of organically managed grassland to available P and K in the soil and supplementary P and K fertilisers – field trials using grass-clover leys cut for silage. *Soil Use and Management* **21**, 370-376.
31. Watson, C.A., Öborn, I., Eriksen, J. & Edwards, A.C. (2005). Perspectives on nutrient management on mixed farms. *Soil Use and Management* **21**, 132-140.

32. Wu, L., McGechan, M.B., Watson, C.A. & Baddeley, J.A. (2005). Developing existing plant-root system architecture models to meet future agricultural challenges. *Advances in Agronomy* 85, 181-219.
33. Berry, P.M., Stockdale, E.A., Sylvester-Bradley, R., Philipps, L., Smith, K.A., Lord, E.I., Watson, C.A. & Fortune, S. (2003). N, P and K budgets for crop rotations on nine organic farms in the UK. *Soil Use and Management* 19, 112-118.
34. Ball, B.C., McTaggart, I. & Watson, C.A. (2002). Influence of organic ley-arable management and afforestation in sandy loam to clay loam soil on fluxes of N₂O and CH₄ in Scotland. *Agriculture, Ecosystems & Environment* 90, 305-317.
35. Robson, M.C., Fowler, S.M., Lampkin, N.H., Leifert, C., Leitch, M., Robinson, D., Watson, C.A. & Litterick, A.M. (2002). The agronomic and economic potential of break crops for ley/arable rotations in temperate organic agriculture. *Advances in Agronomy* 77, 369-427.
36. Watson, C.A., Atkinson, D., Gosling, P., Jackson, L.R. & Rayns, F.W. (2002). Managing soil fertility in organic farming systems. *Soil Use and Management* 18, 239-247.
37. Watson, C.A., Bengtsson, H., Løes, A-K., Myrbeck, A., Salomon, E., Schroder, J. & Stockdale, E.A. (2002). A review of farm-scale nutrient budgets for organic farms as a tool for management of soil fertility. *Soil Use and Management* 18, 264-273.
38. Stockdale, E.A., Lampkin, N., Hovi, M., Keatinge, R., Lennartsson, E.K.M., Macdonald, D.W., Padel, S., Tattersall, F.H. Wolfe, M.S. & Watson, C.A. (2001). Agronomic and environmental implications of organic farming systems. *Advances in Agronomy* 70, 261-327.
39. Atkinson, D. & Watson, C.A. (2000). The beneficial rhizosphere: A dynamic entity. *Applied Soil Ecology* 15, 99-104.
40. Baggs, E., Watson, C.A. & Rees, R.M. (2000). The fate of nitrogen from incorporated cover crops and green manure residues. *Nutrient Cycling in Agroecosystems* 56, 153-163.
41. Goulding, K.T., Stockdale, E.A., Fortune, S. & Watson, C.A. (2000). Nutrient cycling on organic farms. *Journal of the Royal Agricultural Society of England* 161, 65-75.
42. Watson, C.A., Ross, J.M., Bagnaresi, U., Minotta, G.F., Roffi, F., Atkinson, D., Black, K.E. & Hooker, J.E. (2000). Environment-induced modifications to root longevity in *Lolium perenne* and *Trifolium repens*. *Annals of Botany* 85, 397-401.
43. Watson, C.A. & Atkinson, D. (1999). Using nitrogen budgets to indicate nitrogen use efficiency and losses from whole farm systems: A comparison of three methodological approaches. *Nutrient Cycling in Agroecosystems* 53, 259-267.
44. Watson, C.A. & Goss, M.J. (1997). Estimation of N₂-fixation by grass/white clover mixtures in cut and grazed swards. *Soil Use and Management* 13, 165-167.
45. Atkinson, D. & Watson, C.A. (1996). The environmental impact of intensive systems of animal production in the lowlands. *Animal Science* 63, 353-361.
46. Watson, C.A., Fowler, S.M. & Wilman, D. (1994). Purchases and sales of N, P and K, soil inorganic N and nitrate leaching on an organic horticultural holding. *Biological Agriculture & Horticulture* 10, 189-195.
47. Wilman, D., Hayes, J.D., Watson, C.A. & Fowler, S.M. (1994). Plant nutrient management in organic farming. *Agricultural Progress* 69, 25-29.
48. Fowler, S.M., Watson, C.A. & Wilman, D. (1993). N, P and K on organic farms: herbage and cereal production, purchases and sales. *Journal of Agricultural Science, Cambridge* 120, 353-360.
49. Watson, C.A., Fowler, S.M. & Wilman, D. (1993) Soil inorganic-N and nitrate leaching on organic farms. *Journal of Agricultural Science, Cambridge* 120, 361-369.